











## Dimmer Compatibility list

- Very good dimming performance, dimming range  $\geq 80\%$
- Good dimming performance, dimming range  $\geq 60\%$
- Undesirable dimming performance, dimming range  $< 60\%$ , flickering may occur
- Not tested

Remark T refers to trailing edge dimmer, L refers to leading edge dimmers, U refers to Universal dimmers

Classic GU10 5.5W

Advanced GU10  
7.5W

Classic GU10 5.5W  
Glowlite

Classic PAR20  
5.5W

Classic PAR30  
8.5W

Classic PAR38  
13.5W

No.	MFG	Models #	Type	Load	Classic GU10 5.5W		Advanced GU10 7.5W		Classic GU10 5.5W Glowlite		Classic PAR20 5.5W		Classic PAR30 8.5W		Classic PAR38 13.5W	
					1 Lamp	5 Lamps	1 Lamp	5 Lamps	1 Lamp	5 Lamps	1 Lamp	5 Lamps	1 Lamp	5 Lamps	1 Lamp	5 Lamps
61	VADSBO	LD 220	T	1-200W												
62	VADSBO	VD220	T	1-200W												
63	VARILIGHT	HQ3W	L	400W												
64	VARILIGHT	JQP401W	T	400W												
65	VARILIGHT	V-Pro Z1J400M	T	400W												

Our LED lamps will be used in a wide variety of applications. Every application has its own characteristics. Different dimmers are being used, different fixtures are being used and different ambient temperatures influence the temperature inside the fixtures. These conditions are beyond our control. This compatibility list is based on limited sample size tested under usual conditions, and should be considered as a guideline. This information may be updated and changed from time to time, Please verify if you received the latest updated status. The compatibility is only valid when our customers follow our application engineering guidelines.(available upon request)

Note: